
BookletChart[™]

Ni'ihau to French Frigate Shoals NOAA Chart 19016



A reduced-scale NOAA nautical chart for small boaters When possible, use the full-size NOAA chart for navigation.



- Complete, reduced-scale nautical chart
- Print at home for free
- Convenient size
- Up-to-date with Notices to Mariners
- Compiled by NOAA's Office of Coast Survey, the nation's chartmaker

		N/IHAU TO FRENCH	ARGATE SHOALS ate Page Index	The second secon	
	DAMES STATE			MEDICAL STATE OF THE STATE OF T	SOUNDINGS IN FATHOMS
4	5	6	7	8	9
				Management of the second	
				×4	
				Description and	COLUMN TO THE
10	111	12	13	14 million 14	15
	****		120		
	101110				
				S.M.J.	
16	17	18	19	20	(<mark>21</mark>
19016	MARKA MARKANI	CUNDINGS IN FATHOMS	account of the control of the contro		Triduc is result in specification to the state of the sta

Published by the National Oceanic and Atmospheric Administration National Ocean Service Office of Coast Survey

<u>www.NauticalCharts.NOAA.gov</u> 888-990-NOAA

What are Nautical Charts?

Nautical charts are a fundamental tool of marine navigation. They show water depths, obstructions, buoys, other aids to navigation, and much more. The information is shown in a way that promotes safe and efficient navigation. Chart carriage is mandatory on the commercial ships that carry America's commerce. They are also used on every Navy and Coast Guard ship, fishing and passenger vessels, and are widely carried by recreational boaters.

What is a BookletChart[™]?

This BookletChart is made to help recreational boaters locate themselves on the water. It has been reduced in scale for convenience, but otherwise contains all the information of the full-scale nautical chart. The bar scales have also been reduced, and are accurate when used to measure distances in this BookletChart. See the Note at the bottom of page 5 for the reduction in scale applied to this chart.

Whenever possible, use the official, full scale NOAA nautical chart for navigation. Nautical chart sales agents are listed on the Internet at http://www.NauticalCharts.NOAA.gov.

This BookletChart does NOT fulfill chart carriage requirements for regulated commercial vessels under Titles 33 and 44 of the Code of Federal Regulations.

Notice to Mariners Correction Status

This BookletChart has been updated for chart corrections published in the U.S. Coast Guard Local Notice to Mariners, the National Geospatial Intelligence Agency Weekly Notice to Mariners, and, where applicable, the Canadian Coast Guard Notice to Mariners. Additional chart corrections have been made by NOAA in advance of their publication in a Notice to Mariners. The last Notices to Mariners applied to this chart are listed in the Note at the bottom of page 7. Coast Pilot excerpts are not being corrected.

For latest Coast Pilot excerpt visit the Office of Coast Survey website at http://www.nauticalcharts.noaa.gov/nsd/searchbychart.php?chart=190 16.



(Selected Excerpts from Coast Pilot)
Nihoa (23°03'N., 161°55'W.), a barren,
rocky, and uninhabited island, is about
120 miles NW of Ni'ihau. The island was
discovered by Captain Douglas of the
British vessel IPHIGENIA on April 13, 1790.
The low, stone walls of ancient Polynesian
ceremonial sites still remain on the island.
The island is inhabited by a number of
species of sea birds and two extremely
rare land birds.

Nihoa is about 0.8 mile long and 0.2 mile

wide. The E, N, and W sides are high and precipitous; the S side is much lower and its slopes are more gradual. **Millers Peak**, 910 feet high and the highest point on the island, is near the NW end. **Tanager Peak**, 874

feet high, is near the NE end. The SE and SW sides of the island terminate at points on either side of **Adams Bay**. In the bay are three small bights; the westernmost has a sand beach, and the shores of the other two are rocky ledges. There is deep water, close to all sides. The safest anchorages are between the 15-and 20-fathom curves W and SW of the island, but the holding ground is poor. The middle cove of Adams Bay probably affords the best landing, but the surge is considerable and great care must be taken in landing anywhere on the island. During heavy NW weather landing is very dangerous. A steep trail leads from the middle cove to the top of the bluff. At the foot of the bluff is a seepage of water that is not suitable for drinking purposes except in emergencies.

Currents.—The prevailing current sets W in the vicinity of Nihoa. Current observations taken about 0.2 mile W of the island show a nontidal flow of about 0.2 knot setting WSW combined with a tidal current of nearly 0.5 knot at strength setting N and S. The N strength of the tidal current occurs about 6 hours after the local transit of the moon and the S strength at about the time of local transit. The velocity measured was nearly 2 knots and set S.

Nihoa is near the SW end of a bank which is about 18 miles long in a NE-SW direction 10 miles wide and has depths of 14 to 36 fathoms, except for a reported depth of 6½ fathoms at the westernmost extremity. Another bank, the center of which is about 18 miles WSW from Nihoa, is about 14 miles long in an E-W direction, 9 miles wide, and has depths of 15 to 25 fathoms, except for an 11-fathom depth about 2 miles SE of its center, and a 14-fathom depth about 6 miles SSE of its center, reported in 1968. A bank about 54 miles SE of Nihoa has a least depth of 32 fathoms except for a reported depth of 19 fathoms at its S end; the positions of the reported depths are approximate and caution is advised. The two banks 57 and 70 miles W of Nihoa have least depths of 29 and 33 fathoms, respectively. The edges of the bank slope steeply to much greater depths. A 9-fathom shoal is about 5 miles NW of the E bank. Necker Island (23°34'N., 164°42'W.) is 158 miles W from Nihoa. It was discovered by La Perouse on November 1, 1786, and was annexed to Hawaii in 1895. The island, which might well be called a rock, is uninhabited, but, like Nihoa, shows unmistakable evidence of ancient habitation. It is the home of countless sea birds.

About 0.7 mile long and less than 0.2 mile wide, Necker Island is made up entirely of lava. There are four peaks or hills, one near each end and two between. The highest, **Summit Hill**, 277 feet high, is near the middle of the island. **Annexation Hill**, 249 feet high, at the W end of the island, is separated from the other hills by a low saddle and, when seen from a distance appears detached.

Northwest Cape, a rocky spur extending N from the W end of the island, is joined to the rest of the island by a low isthmus over which the seas break in rough weather. On the W side of the cape is **West Cove**, and on the E side is **Shark Bay**. Off the E end of the island are several low, detached rocks. A depth of 5 fathoms has been reported 0.5 mile S of Necker Island where general depths are 10 to 12 fathoms. Vessels can anchor in depths of about 12 fathoms 0.5 mile S of the SW point of the island, but the island is so small that it affords little protection. West Cove and Shark Bay are the landing places, and are usually very hazardous and there are times when it is impossible to land anywhere on the island. During heavy NW weather landing at West Cove is very dangerous. Shark Bay, open to the NE trades, is usually filled with breakers.

U.S. Coast Guard Rescue Coordination Center 24 hour Regional Contact for Emergencies

RCC Honolulu

Commander 14th CG District

Honolulu, HI

(808) 535-3333

2



Scale 1:20,000 World Geodetic System 1984 (North American Datum 1983) SOUNDINGS IN FATHOMS

HEIGHTS

Heights in feet above Mean High Water.

Scale 1:20 000 World Geodetic System 1984 (North American Datum 1983)

SOUNDINGS IN FATHOMS

Mercator Projection Scale 1:663,392 at Lat 23°00°

Astronomic Datum (Reference Horizontal Datum Note) SOUNDINGS IN FATHOMS AT MEAN LOWER LOW WATER

AIDS TO NAVIGATION

Consult U.S. Coast Guard Light List for supplemental information concerning aids to navigation.

CAUTION

Temporary changes or defects in aids to navigation are not indicated on this chart. See Local Notice to Mariners.

HORIZONTAL DATUM

The horizontal reference datum for this chart is Astronomic Datum, except within the chart insets for Necker and Nihoa Islands, and within the areas of the gray chart outlines indicating larger scale chart coverage. The large scale chart insets of Necker and Nihoa Islands are World Geodetic System 1984 (WGS84), which for charting purposes is considered equivalent to North American Datum of 1983 (MADR3). The areas within the limits of the of 1983 (NAD83). The areas within the limits of the of 1983 (NAD83). The areas within the limits of the gray chart outlines can be considered equivalent to World Geodetic System 1984 (WGS84), which for charing purposes is considered equivalent to North American Datum of 1983 (NAD83). The charted features within the limits of the gray chart outlines were shifted from various local datums by means of geo-referenced satellite imagery and have not been confirmed by land-based geodetic methods.

PAPAHĀNAUMOKUĀKEA MARINE NATIONAL MONUMENT

The entire area of this inset lies within the boundaries of the Papahānaumokuākea Marine National Monument and the Nihoa Island Special Preservation Area. These are protected areas. See 50 CFR 404 or Chapter 2, U.S. Coast

LOCAL MAGNETIC DISTURBANCE

Differences of as much as 33° from the norma have been observed on Nihoa nd 22° on Necker Island

For Symbols and Abbreviations see Chart No. 1

Limitations on the use of radio signals as aids to marine navigation can be found in the U.S. Coast Guard Light Lists and National

Geospatial-Intelligence Agency Publication 117.
Radio direction-finder bearings to commercial broadcasting stations are subject to error and should be used with caution.

Station positions are shown thus:

(Accurate location) o(Approximate location)

PAPAHĀNAUMOKUĀKEA MARINE NATIONAL MONUMENT

The entire area of this inset lies within the boundaries of the Papahānaumokuākea Marine National Monument and the Necker Island Special Preservation Area. These are protected areas. See 50 CFR 404 or Chapter 2, U.S. Coast

NOAA WEATHER RADIO BROADCASTS

The NOAA Weather Radio station listed pelow provides continuous weather broadcasts The reception range is typically 20 to 40 nautical miles from the antenna site, but can be as much as 100 nautical miles for stations at high elevations

Kokee, HI KBA-99 162 40 MHz

Table of Selected Chart Notes

RADAR REFLECTORS

Radar reflectors have been placed on many floating aids to navigation. Individual radar reflector identification on these aids has been omitted from this chart

POLLUTION REPORTS

Report all spills of oil and hazardous sub-stances to the National Response Center via 1-800-424-8802 (toll free), or to the nearest U.S. Coast Guard facility if telephone communication is impossible (33 ČFR 153).

HAWAIIAN ISLANDS NATIONAL WILDLIFE REFUGE

The Hawai'ian Islands from longitude 161° W to 176° W are part of the Hawaiian Islands National Wildlife Refuge, and under the jurisdiction of the U.S. Fish and Wildlife Service, Department of the Interior.

The islands and atolls in the refuge include Nihoa, Necker Island, French Frigate Shoals, Gardner Pinnacles, Maro Reef, Laysan Island, Lislanski Island, Pearl and Hermes Atoll. National Wildlife Refuge

System regulations pertaining to these islands and atolls are contained in CFR 50, parts 25-32.

Entry to the refuge is strictly prohibited without prior approval from the Refuge Manager, Pacific Remote Islands National Wildlife Refuge Complex, U.S. Fish and Wildlife Service, 300 Ala Moana Blvd., Honolulu, Hawaii

The restrictions apply to all civilian and military

WARNING

The prudent mariner will not rely solely on any single aid to navigation, particularly on floating aids. See U.S. Coast Guard Light List and U.S. Coast Pilot for details.

PARTICULARLY SENSITIVE SEA AREA

The Particularly Sensitive Sea Area (PSSA) is indicated by a dashed green limiting line highlighted with a green screened band or by a green screened band used in conjunction with the line symbol for other limits with which the PSSA coincides A PSSA is an environmentally sensitive area in which and around which mariners should exercise extreme caution. See U.S. Coast Pilot volumes for information regarding this area.

NOTE C AREA TO BE AVOIDED

All vessels solely in transit should avoid the area (MSC IMO SN.1/Circ.263).

SHIP REPORTING SYSTEM

The following vessels entering or departing any U.S. port of place and in transit through the reporting area are required to report into the System: all vessels 300 gross tons or greater and all vessels in the event of a developing emergency. The following vessels in transit through the reporting area should following vessels in transit through the reporting area should report into the System: all vessels 300 gross tons or greater, fishing vessels, and all vessels in the event of a developing emergency. See IMO SN.1, Circ. 273. Information concerning the Ship Reporting System is also published in the U.S. Coast Pilot 7, Chapters 2 and 14, and updated through Notices to Mariners. Information may also be obtained at the Office of the Commander, 14th Coast Guard District in Honolulu, or at the Office of the District Engineer, Corps of Engineers, in Honolulu.

NOTE A

Navigation regulations are published in Chapter 2, U.S Coast Pilot 7. Additions or revisions to Chapter 2 are pub-lished in the Notice to Mariners. Information concerning the regulations may be obtained at the Office of the Commander, 14th Coast Guard District in Honolulu, Hawaii or at the Office of the District Engineer, Corps of Engineers in

Refer to charted regulation section numbers

The Areas to be Avoided and the Particularly Sensitive Sea Area have been charted in their true positions. The limits of the Papahānaumokuākea Marine National Monument have been slightly offset for clarity. The inner limit of the Ship Reporting System Area is co-linear with the outer limits of the

AUTHORITIES

Hydrography and topography by the National Ocean Service, Coas Survey, with additional data from the U.S. Coast Guard and National Geospatial-Intelligence Agency, and other sources.

2640 SOURCE DIAGRAM

The outlined areas represent the limits of the most recent hydrographic survey information that has been evaluated for charting. Surveys have been banded in this diagram by date and type of survey. Channels maintained by the U.S. Army Corps of Engineers are periodically resurveyed and are not shown on this diagram. Refer to Chapter 1, United States Coast Pilot.

NOTE X

Within the 12-nautical mile Territorial Sea, established by Presidential Proclamation, some Federal laws apply. The Three Nautical Mile Line, previously identified as the outer limit of the territorial sea, is retained as it continues to depict the jurisdictional limit of the other laws. The 9-nautical mile Natural Resource Boundary off the Gulf coast of Florida, Texas, and Puerto Rico, and the Three Nautical Mile Line elsewhere remain in most cases the inner limit of Federal fisheries jurisdiction and the outer limit of the jurisdiction of the states. The 24-naulical mile Contiguous Zone and the 200-naulica mile Exclusive Economic Zone were established by Presidential Proclamation Unless fixed by treaty or the U.S. Supreme Court, these maritime limits are subject to modification

Boundary limits of Submerged Submarine Operating Areas are shown by a solid magenta line. As submarines may be submerged in these areas, vessels should proceed with caution. During torpedo practice firing, all vessels are cautioned to keep well clear of Naval Target Vessels flying a large red flag at

RADAR REFLECTORS

Radar reflectors have been placed on many floating aids to navigation. Individual radar reflector identification on these aids has been omitted from this chart.

CAUTION

Limitations on the use of radio signals as aids to marine navigation can be found in the U.S. Coast Guard Light Lists and National Geospatial-Intelligence Agency Publication 117. Radio direction-finder bearings to commercial broadcasting stations are subject to error and should be used with caution.

Station positions are shown thus:

()(Accurate location) o(Approximate location)

THE NATION'S CHARTMAKER SINCE 1807

lished in the Notice to Mariners. regulations may be obtained at the Office of the Commander, 14th Coast Guard District in Honolulu, Hawaii or at the Office of the District Engineer, Corps of Engineers in Honolulu, Hawaii.

Refer to charted regulation section numbers.

NOTE B

Boundary limits of Submerged Submarine Operating Areas are shown by a solid magenta line. As submarines may be submerged in these areas, vessels should proceed with caution. During torpedo practice firing, all vessels are cautioned to keep well clear of Naval Target Vessels flying a large red flag at the highest masthead.

NOTE C AREA TO BE AVOIDED All vessels solely in transit should avoid the area (MSC IMO SN.1/Circ.263). report i and all following

20' 167° 166° 868) 25º AREA TO BE AVOIDED (see note C) St Rogatine Bank 17 Rep (1968) M 2065 CoS

Joins page 10



ave been craited in their rice positions. The limits of pahānaumokuākea Marine National Monument have slightly offset for clarity. The inner limit of the Ship ing System Area is co-linear with the outer limits of the to be Avoided and is not depicted.

NOTE E SHIP REPORTING SYSTEM

following vessels entering or departing any U.S. port of and in transit through the reporting area are required to into the System: all vessels 300 gross tons or greater vessels in the event of a developing emergency. The ng vessels in transit through the reporting area should into the System: all vessels 300 gross tons or greater, vessels, and all vessels 100 gross tons or greater, vessels, and all vessels in the event of a developing ency. See IMO SN.1, Circ. 273. Information concerning p. Chapters 2 and 14, and updated through Notices to irs. Information may also be obtained at the Office of mmander, 14th Coast Guard District in Honolulu, or Office of the District Engineer, Corps of Engineers, in the control of the district through of the control of the contro The Particularly Sensitive Sea Area (PSSA) is indicated by a dashed green limiting line highlighted with a green screened band or by a green screened band used in conjunction with the line symbol for other limits with which the PSSA coinicides. A PSSA is an environmentally sensitive area in which and around which mariners should exercise extreme caution. See U.S. Coast Pilot volumes for information regarding this area.

PRINT-ON-DEMAND CHARTS

NOAA and its partner, OceanGrafix, offer this chart updated weekly by NOAA for Notices to Mariners and updated weekly by NOAA for Notices to Mariners and critical corrections. Charts are printed when ordered using Print-on-Demand technology. New Editions are available 5-8 weeks before their release as traditional NOAA charts. Ask your chart agent about Print-on-Demand charts or contact NOAA at 1-800-584-4683, http://NauticalCharts.gov, help@NauticalCharts.gov, or OceanGrafix at 1-877-56CHART, http://OceanGrafix.com, or help@OceanGrafix.com.

176° W are part of the Hawaiian Islands National Wildlife Refuge, and under the jurisdiction of the U.S. Fish and Wildlife Service, Department of the Interior.


The islands and atolls in the refuge include Nihoa, Necker Island, French Frigate Shoals, Gardner Pinnacles, Maro Reef, Laysan Island, Lislanski Island, Pearl and Hermes Atoll. National Wildlife Refuge System regulations pertaining to these islands and atolls are contained in CFR 50. Datts 25-32.


Island, Pearl and Hermes Atoli. National Wildlife Hetuge System regulations pertaining to these islands and atolls are contained in CFR 50, parts 25-32. Entry to the refuge is strictly prohibited without prior approval from the Refuge Manager, Pacific Remote Islands National Wildlife Refuge Complex, U.S. Fish and Wildlife Service, 300 Ala Moana Blvd., Honolulu, Hawaii 96850.

The restrictions apply to all civilian and military agencies as well as individuals.

WARNING

The prudent mariner will not rely solely on any single aid to navigation, particularly on floating aids. See U.S. Coast Guard Light List and U.S. Coast Pilot for details.







The Particularly Sensitive Sea Area (PSSA) is indicated by a dashed green limiting line highlighted with a green screened and or by a green screened band used in conjunction with the line symbol for other limits with which the PSSA coincides. A PSSA is an environmentally sensitive area in which and around which mariners should exercise extreme caution. See J.S. Coast Pilot volumes for information regarding this area.

PRINT-ON-DEMAND CHARTS

NOAA and its partner, OceanGrafix, offer this chart updated weekly by NOAA for Notices to Mariners and critical corrections. Charts are printed when ordered using Print-on-Demand technology. New Editions are available 5-8 weeks before their release as traditional NOAA charts. Ask your chart agent about Print-on-Demand charts or contact NOAA at 1-800-584-4683, http://NauticalCharts.gov, help@NauticalCharts.gov, or OceanGrafix at 1-877-56CHART, http://OceanGrafix.com, or help@OceanGrafix.com.

176° W are part of the Hawaiian Islands National Wildlife Refuge, and under the jurisdiction of the U.S. Fish and Wildlife Service, Department of the Interior.

The islands and atolls in the refuge include Nihoa, Necker Island, French Frigate Shoals, Gardner Pinnacles, Maro Reef, Laysan Island, Lislanski Island, Pearl and Hermes Atoll. National Wildlife Refuge System regulations pertaining to these islands and atolls are contained in CFR 50, parts 25-32.

Entry to the refuge is strictly prohibited without prior approval from the Refuge Manager, Pacific Remote

Entry to the refuge is strictly prohibited without prior approval from the Refuge Manager, Pacific Remote Islands National Wildlife Refuge Complex, U.S. Fish and Wildlife Service, 300 Ala Moana Bivd., Honolulu, Hawaii 96850.

The restrictions apply to all civilian and military agencies as well as individuals.


WARNING

The prudent mariner will not rely solely on any single aid to navigation, particularly on floating aids. See U.S. Coast Guard Light List and U.S. Coast Pilot for details.

NI'IHAU TO FRENCH FR

Mercator Projection Scale 1:663,392 at Lat 23°0 Astronomic Datum (Reference Horizontal Datum Note SOUNDINGS IN FATHOMS AT MEAN LOWER LOW WATER

Additional information can be obtained at nauticalch





IGATE SHOALS charts.noaa.gov

AIDS TO NAVIGATION


Consult U.S. Coast Guard Light List for supplemental information concerning aids to navigation.

NOAA WEATHER RADIO BROADCASTS The NOAA Weather Radio station listed below provides continuous weather broadcasts. The reception range is typically 20 to 40 nautical miles from the antenna site, but can be as much as 100 nautical miles for stations at high elevations.

Kokee, HI KBA-99 162.40 MHz POLLUTION REPORTS

Report all spills of oil and hazardous su stances to the National Response Center v 1-800-424-8802 (toll free), or to the nearest U. Coast Guard facility if telephone communication is impossible (33 CFR 153)

Within the 12-nautical mile Territorial Sea, established by Presid some Federal laws apply. The Three Nautical Mile Line, previous outer limit of the territorial sea, is retained as it continues to depid limit of the other laws. The 9-nautical mile Natural Resource Bounda of Florida, Texas, and Puerto Rico, and the Three Nautical Mile Line most cases the inner limit of Federal fisheries jurisdiction and th jurisdiction of the states. The 24-nautical mile Contiguous Zone at mile Exclusive Fenomeric. Zone were established by Presiden mile Exclusive Economic Zone were established by Presider Unless fixed by treaty or the U.S. Supreme Court, these maritir to modification.



POLLUTION REPORTS

Report all spills of oil and hazardous sub-stances to the National Response Center via 1-800-424-8802 (toll free), or to the nearest U.S. Coast Guard facility if telephone communication is impossible (33 CFR 153).


Within the 12-nautical mile Territorial Sea, established by Presidential Proclamation, some Federal laws apply. The Three Nautical Mile Line, previously identified as the outer limit of the territorial sea, is retained as it continues to depict the jurisdictional limit of the other laws. The 9-nautical mile Natural Resource Boundary off the Gulf coast of Florida, Texas, and Puerto Rico, and the Three Nautical Mile Line elsewhere remain in most cases the inner limit of Federal fisheries jurisdiction and the outer limit of the jurisdiction of the states. The 24-nautical mile Contiguous Zone and the 200-nautical mile Exclusive Economic Zone were established by Presidential Proclamation. Unless fixed by treaty or the U.S. Supreme Court, these maritime limits are subject to modification.

Hydrography and topogra Survey, with additional da National Geospatial-Intellig

> Temporary ch navigation are not Local Notice to Ma

LOCAL MA Differences of a variation have and 22° on Necl

SUPPLEM Consult U.S. supplemental inf





Note: Chart grid lines are aligned with true north.

AIDS TO NAVIGATION Consult U.S. Coast Guard Light List for supplemental information concerning aids to navigation.

NOAA WEATHER RADIO BROADCASTS

below provides continuous weather broadcasts. The reception range is typically 20 to 40 nautical miles from the antenna site, but can be

as much as 100 nautical miles for stations at

KBA-99

162.40 MHz

high elevations

Kokee, HI

The NOAA Weather Radio station listed

et above Mean High Water.

AUTHORITIES

aphy by the National Ocean Service, Coast data from the U.S. Coast Guard and igence Agency, and other sources.

CALITION

changes or defects in aids to pt indicated on this chart. See Mariners.

AGNETIC DISTURBANCE

as much as 33° from the normal been observed on Nihoa ker Island.


MENTAL INFORMATION


6. Coast Pilot 7 for important


HORIZONTAL DATUM


The horizontal reference datum for this chart is Astronomic Datum, except within the chart insets for Necker and Ninoa Isiands, and within the areas of the gray chart outlines indicating larger scale chart coverage. The large scale chart insets of Necker and Nihoa Isiands are World Geodetic System 1984 (WGS84), which for charting purposes is considered equivalent to North American Datum of 1983 (NAD83). The areas within the limits of the gray chart outlines can be considered equivalent to World Geodetic System 1984 (WGS84), which for charting purposes is considered equivalent to North American Datum of 1983 (NAD83). The charted features within the limits of the gray chart outlines were shifted from various local datums by means of geo-referenced satellite Imagery and have no been confirmed by land-based geodetic methods.


SOUNDINGS IN FATHOMS



























SOUNDINGS IN FATHOMS

U.S. NATIONAL OC




Published at Washington, D.C.


5. DEPARTMENT OF COMMERCE

CEANIC AND ATMOSPHERIC ADMINISTRATION

NATIONAL OCEAN SERVICE

COAST SURVEY







VHF Marine Radio channels for use on the waterways:

Channel 6 – Inter-ship safety communications.

Channel 9 – Communications between boats and ship-to-coast.

Channel 13 – Navigation purposes at bridges, locks, and harbors.

Channel 16 – Emergency, distress and safety calls to Coast Guard and others, and to initiate calls to other

vessels. Contact the other vessel, agree to another channel, and then switch.

Channel 22A – Calls between the Coast Guard and the public. Severe weather warnings, hazards to navigation and safety warnings are broadcast here. Channels 68, 69, 71, 72 and 78A – Recreational boat channels.

Getting and Giving Help — Signal other boaters using visual distress signals (flares, orange flag, lights, arm signals); whistles; horns; and on your VHF radio. You are required by law to help boaters in trouble. Respond to distress signals, but do not endanger yourself.

Distress Call Procedures

- Make sure radio is on.
- Select Channel 16.
- Press/Hold the transmit button.
- Clearly say: "MAYDAY, MAYDAY, MAYDAY."
- Also give: Vessel Name and/or Description; Position and/or Location; Nature of

Emergency; Number of People on Board.

- · Release transmit button.
- Wait for 10 seconds If no response Repeat MAYDAY call.

HAVE ALL PERSONS PUT ON LIFE JACKETS!



NOAA Weather Radio All Hazards (NWR) is a nationwide network of radio stations broadcasting continuous weather information directly from the nearest National Weather Service office. NWR broadcasts official Weather Service warnings, watches, forecasts and other hazard information 24 hours a day, 7 days a week.

http://www.nws.noaa.gov/nwr/

Quick References

Nautical chart related products and information — http://www.nauticalcharts.noaa.gov

Online chart viewer — http://www.nauticalcharts.noaa.gov/mcd/NOAAChartViewer.html

Report a chart discrepancy — http://ocsdata.ncd.noaa.gov/idrs/discrepancy.aspx

Chart and chart related inquiries and comments — http://ocsdata.ncd.noaa.gov/idrs/inquiry.aspx?frompage=ContactUs

Chart updates (LNM and NM corrections) — http://www.nauticalcharts.noaa.gov/mcd/updates/LNM_NM.html

Coast Pilot online — http://www.nauticalcharts.noaa.gov/nsd/cpdownload.htm

Tides and Currents — http://tidesandcurrents.noaa.gov

Marine Forecasts — http://www.nws.noaa.gov/om/marine/home.htm

National Data Buoy Center — http://www.ndbc.noaa.gov/

NowCoast web portal for coastal conditions — http://www.nowcoast.noaa.gov/

National Weather Service — http://www.weather.gov/

National Hurrican Center — http://www.nhc.noaa.gov/

Pacific Tsunami Warning Center — http://ptwc.weather.gov/

Contact Us — http://www.nauticalcharts.noaa.gov/staff/contact.htm



For the latest news from Coast Survey, follow @nauticalcharts



This Booklet chart has been designed for duplex printing (printed on front and back of one sheet). If a duplex option is not available on your printer, you may print each sheet and arrange them back-to-back to allow for the proper layout when viewing.

